

ZNF289/ARFGAP2 Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP57118

Specification

ZNF289/ARFGAP2 Polyclonal Antibody - Product Information

Application	WB
Primary Accession	Q8N6H7
Reactivity	Rat, Pig, Cow
Host	Rabbit
Clonality	Polyclonal
Calculated MW	56720

ZNF289/ARFGAP2 Polyclonal Antibody - Additional Information

Gene ID 84364

Other Names

ADP-ribosylation factor GTPase-activating protein 2, ARF GAP 2, GTPase-activating protein ZNF289, Zinc finger protein 289, ARFGAP2, ZNF289

Format

0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.


ZNF289/ARFGAP2 Polyclonal Antibody - Protein Information

Name ARFGAP2

Synonyms ZNF289

Function

GTPase-activating protein (GAP) for ADP ribosylation factor 1 (ARF1). Implicated in coatomer-mediated protein transport between the Golgi complex and the endoplasmic reticulum. Hydrolysis of ARF1-bound GTP may lead to dissociation of



Sample:

Heart (Mouse) Lysate at 40 ug
Primary: Anti-ZNF289 (bs-18504R) at 1/300 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 57 kDa

Observed band size: 57 kDa

coatomer from Golgi-derived membranes to allow fusion with target membranes.

Cellular Location

Cytoplasm. Golgi apparatus membrane; Peripheral membrane protein; Cytoplasmic side. Note=Also found on peripheral punctate structures likely to be endoplasmic reticulum-Golgi intermediate compartment

ZNF289/ARFGAP2 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)