

**CDAN1 Polyclonal Antibody**  
**Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP58828**

**Specification**

**CDAN1 Polyclonal Antibody - Product Information**

Application	<b>WB</b>
Primary Accession	<a href="#">Q8IWY9</a>
Host	<b>Rabbit</b>
Clonality	<b>Polyclonal</b>
Calculated MW	<b>134120</b>

**CDAN1 Polyclonal Antibody - Additional Information**

**Gene ID** 146059

**Other Names**  
Codanin-1, CDAN1

**Format**  
0.01M TBS(pH7.4) with 1% BSA, 0.09% (W/V) sodium azide and 50% Glyce

**Storage**  
Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.


**CDAN1 Polyclonal Antibody - Protein Information**

**Name** CDAN1

**Function**  
May act as a negative regulator of ASF1 in chromatin assembly.

**Cellular Location**  
Cytoplasm. Nucleus. Membrane; Multi-pass membrane protein. Note=Mainly detected as a cytoplasmic protein

**Tissue Location**  
Ubiquitously expressed. Isoform 3 is not found in erythroid cells.



**Sample:**  
Cerebrum (Mouse) Lysate at 40 ug  
Spleen (Mouse) Lysate at 40 ug  
Primary: Anti- CDAN1 (bs-7994R) at 1/1000 dilution  
Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution  
Predicted band size: 47 kD  
Observed band size: 50 kD

## **CDAN1 Polyclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)