

TIMP1 Antibody (N-term)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP6709a

Specification

TIMP1 Antibody (N-term) - Product Information

Application IF, WB, IHC-P,

FC,E P01033

Primary Accession
Other Accession
Reactivity
Host
Clonality
Isotype
Antigen Region

P01033
NP_003245
Human
Rabbit
Polyclonal
Rabbit Ig
41-70

TIMP1 Antibody (N-term) - Additional Information

Gene ID 7076

Other Names

Metalloproteinase inhibitor 1, Erythroid-potentiating activity, EPA, Fibroblast collagenase inhibitor, Collagenase inhibitor, Tissue inhibitor of metalloproteinases 1, TIMP-1, TIMP1, CLGI, TIMP

Target/Specificity

This TIMP1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 41-70 amino acids from the N-terminal region of human TIMP1.

Dilution


IF~~1:10~50 WB~~1:1000 IHC-P~~1:10~50 FC~~1:10~50

Format


Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage


Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C



Confocal immunofluorescent analysis of TIMP1 Antibody (N-term)(Cat#AP6709a) with A2058 cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). Actin filaments have been labeled with Alexa Fluor 555 phalloidin (red).DAPI was used to stain the cell nuclear (blue).



Western blot analysis of TIMP1 Antibody (N-term) (Cat. #AP6709a) in CEM cell line lysates (35ug/lane). TIMP1 (arrow) was detected using the purified Pab.





in small aliquots to prevent freeze-thaw cycles.

Precautions

TIMP1 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

TIMP1 Antibody (N-term) - Protein Information

Name TIMP1

Synonyms CLGI, TIMP

Function

Metalloproteinase inhibitor that functions by forming one to one complexes with target metalloproteinases, such as collagenases, and irreversibly inactivates them by binding to their catalytic zinc cofactor. Acts on MMP1, MMP2, MMP3, MMP7, MMP8, MMP9, MMP10, MMP11, MMP12, MMP13 and MMP16. Does not act on MMP14. Also functions as a growth factor that regulates cell differentiation, migration and cell death and activates cellular signaling cascades via CD63 and ITGB1. Plays a role in integrin signaling. Mediates erythropoiesis in vitro; but, unlike IL3, it is species-specific, stimulating the growth and differentiation of only human and murine erythroid progenitors.

Cellular Location Secreted


Tissue Location

Detected in rheumatoid synovial fluid (at protein level).


TIMP1 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture



Formalin-fixed and paraffin-embedded human breast carcinoma reacted with TIMP1 Antibody (N-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



Flow cytometric analysis of MDA-231 cells using TIMP1 Antibody (N-term)(bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

TIMP1 Antibody (N-term) - Background

TIMP1 belongs to the TIMP family. The proteins in this family are natural inhibitors of the matrix metalloproteinases (MMPs), a group of peptidases involved in degradation of the extracellular matrix. In addition to its inhibitory role against most of the known MMPs, the protein is able to promote cell proliferation in a wide range of cell types, and may also have an anti-apoptotic function.







TIMP1 Antibody (N-term) - References

Safranek, J., Anticancer Res. 29 (7), 2513-2517 (2009) Onal,I.K., Eur. J. Intern. Med. 20 (4), 369-372 (2009) Okamura, H., Int. J. Oncol. 35 (1), 181-186 (2009)

TIMP1 Antibody (N-term) - Citations

• A lipoxin A4 analog ameliorates blood-brain barrier dysfunction and reduces MMP-9 expression in a rat model of focal cerebral ischemia-reperfusion injury.