

PCMT1 Antibody (monoclonal) (M02)

Mouse monoclonal antibody raised against a partial recombinant PCMT1.

Catalog # AT3235a

Specification

PCMT1 Antibody (monoclonal) (M02) - Product Information

Application	WB, E
Primary Accession	P22061
Other Accession	NM_005389
Reactivity	Human, Mouse, Rat
Host	mouse
Clonality	Monoclonal
Isotype	IgG1 Kappa
Calculated MW	24636

PCMT1 Antibody (monoclonal) (M02) - Additional Information

Gene ID 5110

Other Names

Protein-L-isoaspartate(D-aspartate)
O-methyltransferase, PIMT, L-isoaspartyl
protein carboxyl methyltransferase, Protein
L-isoaspartyl/D-aspartyl methyltransferase,
Protein-beta-aspartate methyltransferase,
PCMT1

Target/Specificity

PCMT1 (NP_005380, 117 a.a. ~ 225 a.a)
partial recombinant protein with GST tag.
MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format


Clear, colorless solution in phosphate
buffered saline, pH 7.2 .

Storage


Store at -20°C or lower. Aliquot to avoid
repeated freezing and thawing.

Precautions

PCMT1 Antibody (monoclonal) (M02) is for
research use only and not for use in
diagnostic or therapeutic procedures.



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (37.73 KDa) .




PCMT1 monoclonal antibody (M02), clone 1D6 Western Blot analysis of PCMT1 expression in HeLa ((Cat # AT3235a)


PCMT1 Antibody (monoclonal) (M02) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)




PCMT1 monoclonal antibody (M02), clone 1D6. Western Blot analysis of PCMT1 expression in PC-12 ((Cat # AT3235a)



PCMT1 monoclonal antibody (M02), clone 1D6. Western Blot analysis of PCMT1 expression in Raw 264.7 ((Cat # AT3235a)



PCMT1 monoclonal antibody (M02), clone 1D6. Western Blot analysis of PCMT1 expression in NIH/3T3 ((Cat # AT3235a)



Detection limit for recombinant GST tagged PCMT1 is approximately 0.1ng/ml as a capture antibody.

PCMT1 Antibody (monoclonal) (M02) - Background

Three classes of protein carboxyl methyltransferases, distinguished by their methyl-acceptor substrate specificity, have been found in prokaryotic and eukaryotic cells. The type II enzyme catalyzes the transfer of a methyl group from S-adenosyl-L-methionine to the free carboxyl groups of D-aspartyl and L-isoaspartyl residues. These methyl-accepting residues result from the spontaneous deamidation, isomerization, and racemization of normal L-aspartyl and L-asparaginyl residues and represent sites of covalent damage to aging proteins PCMT1 (EC 2.1.1.77) is a protein repair enzyme that initiates the conversion of abnormal D-aspartyl and L-isoaspartyl residues to the normal L-aspartyl form.

PCMT1 Antibody (monoclonal) (M02) - References

Variation at the NFATC2 Locus Increases the Risk of Thiazolinedinedione-Induced Edema in the Diabetes REduction Assessment with ramipril and rosiglitazone Medication (DREAM) Study. Bailey SD, et al. Diabetes Care, 2010 Jul 13. PMID 20628086. Proteome analysis of the thalamus and cerebrospinal fluid reveals glycolysis dysfunction and potential biomarkers candidates for schizophrenia. Martins-de-Souza D, et al. J Psychiatr Res, 2010 May 14. PMID 20471030. Gene-centric association signals for lipids and apolipoproteins identified via the HumanCVD BeadChip. Talmud PJ, et al. Am J Hum Genet, 2009 Nov. PMID 19913121. An association study of 45 folate-related genes in spina bifida: Involvement of cubilin (CUBN) and tRNA

aspartic acid methyltransferase 1 (TRDMT1).
Franke B, et al. Birth Defects Res A Clin Mol
Teratol, 2009 Mar. PMID 19161160. Proteomic
analysis of dorsolateral prefrontal cortex
indicates the involvement of cytoskeleton,
oligodendrocyte, energy metabolism and new
potential markers in schizophrenia.
Martins-de-Souza D, et al. J Psychiatr Res, 2009
Jul. PMID 19110265.