

RHOC Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant RHOC. Catalog # AT3636a

Specification

RHOC Antibody (monoclonal) (M01) - Product Information

Application WB, E
Primary Accession P08134
Other Accession BC007245
Reactivity Human, Mouse,

Rat

Host mouse
Clonality Monoclonal
Isotype IgG2b Kappa

Calculated MW 22006

RHOC Antibody (monoclonal) (M01) - Additional Information

Gene ID 389

Other Names

Rho-related GTP-binding protein RhoC, Rho cDNA clone 9, h9, RHOC, ARH9, ARHC

Target/Specificity

RHOC (AAH07245, 1 a.a. ~ 193 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2.


Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.


Precautions

RHOC Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

RHOC Antibody (monoclonal) (M01) - Protocols



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (46.97 KDa) .




RHOC monoclonal antibody (M01), clone 2E12. Western Blot analysis of RHOC expression in PC-12((Cat # AT3636a)




Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture



RHOC monoclonal antibody (M01), clone 2E12 Western Blot analysis of RHOC expression in Jurkat ((Cat # AT3636a)



RHOC monoclonal antibody (M01), clone 2E12. Western Blot analysis of RHOC expression in NIH/3T3((Cat # AT3636a)




Western Blot analysis of RHOC expression in transfected 293T cell line by RHOC monoclonal antibody (M01), clone 2E12.

Lane 1: RHOC transfected lysate(22 KDa).

Lane 2: Non-transfected lysate.





Detection limit for recombinant GST tagged RHOC is approximately 3ng/ml as a capture antibody.

RHOC Antibody (monoclonal) (M01) - Background

This gene encodes a member of the Rho family of small GTPases, which cycle between inactive GDP-bound and active GTP-bound states and function as molecular switches in signal transduction cascades. Rho proteins promote reorganization of the actin cytoskeleton and regulate cell shape, attachment, and motility. The protein encoded by this gene is prenylated at its C-terminus, and localizes to the cytoplasm and plasma membrane. It is thought to be important in cell locomotion. Overexpression of this gene is associated with tumor cell proliferation and metastasis. Multiple alternatively spliced variants, encoding the same protein, have been identified.

RHOC Antibody (monoclonal) (M01) - References

1.Epidermal Growth Factor Stimulates Human Trophoblast Cell Migration through Rho A and Rho C Activation.Han J, Li L, Hu J, Yu L, Zheng Y, Guo J, Zheng X, Yi P, Zhou Y.Endocrinology. 2010 Feb 11. [Epub ahead of print]

RHOC Antibody (monoclonal) (M01) - Citations

 Knockdown of RHOC by shRNA suppresses invasion and migration of cholangiocellular carcinoma cells via inhibition of MMP2, MMP3, MMP9 and epithelial-mesenchymal transition.