

RPL9 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant RPL9. Catalog # AT3710a

Specification

RPL9 Antibody (monoclonal) (M01) - Product Information

Application IF, WB, IHC, E **Primary Accession** P32969 Other Accession NM 000661 Reactivity Human Host mouse Clonality **Monoclonal** Isotype IgG1 Kappa Calculated MW 21863

RPL9 Antibody (monoclonal) (M01) - Additional Information

Gene ID 6133

Other Names

60S ribosomal protein L9, RPL9

Target/Specificity

RPL9 (NP_000652, 93 a.a. \sim 191 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage


Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions


RPL9 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

RPL9 Antibody (monoclonal) (M01) - Protocols


Provided below are standard protocols that you



Immunofluorescence of monoclonal antibody to RPL9 on HeLa cell. [antibody concentration 10 ug/ml]



Antibody Reactive Against Recombinant Protein.Western Blot detection against Immunogen (36.63 KDa) .




Tel: 858.875.1900 Fax: 858.622.0609




may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture



RPL9 monoclonal antibody (M01), clone 2F11 Western Blot analysis of RPL9 expression in HeLa ((Cat # AT3710a)



Immunoperoxidase of monoclonal antibody to RPL9 on formalin-fixed paraffin-embedded human tonsil tissue. [antibody concentration $1 \sim 10 \text{ ug/ml}$



Detection limit for recombinant GST tagged RPL9 is approximately 0.3ng/ml as a capture antibody.

RPL9 Antibody (monoclonal) (M01) -**Background**

Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S





Tel: 858.875.1900 Fax: 858.622.0609

subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 60S subunit. The protein belongs to the L6P family of ribosomal proteins. It is located in the cytoplasm. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome. Two alternatively spliced transcript variants encoding the same protein have been found for this gene.

RPL9 Antibody (monoclonal) (M01) -References

1.Proteomic characterization of the human sperm nucleus.de Mateo S, Castillo J, Estanyol JM, Ballesca JL, Oliva R.PROTEOMICS DOI: 10.1002/ pmic.201000799