



KCNH6 Antibody (Center) Blocking peptide

Synthetic peptide Catalog # BP11929c

Specification

KCNH6 Antibody (Center) Blocking peptide - Product Information

Primary Accession <u>Q9H252</u>

KCNH6 Antibody (Center) Blocking peptide - Additional Information

Gene ID 81033

Other Names

Potassium voltage-gated channel subfamily H member 6, Ether-a-go-go-related gene potassium channel 2, ERG-2, Eag-related protein 2, Ether-a-go-go-related protein 2, hERG-2, hERG2, Voltage-gated potassium channel subunit Kv112, KCNH6, ERG2

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

KCNH6 Antibody (Center) Blocking peptide - Protein Information

Name KCNH6

Synonyms ERG2

Function


Pore-forming (alpha) subunit of voltage-gated potassium channel. Elicits a slowly activating, rectifying current (By similarity). Channel properties may be

KCNH6 Antibody (Center) Blocking peptide - Background

Voltage-gated potassium (Kv) channels represent the most complex class of voltage-gated ion channels from both functional and structural standpoints. Their diverse functions includeregulating neurotransmitter release, heart rate, insulin secretion, neuronal excitability, epithelial electrolyte transport, smoothmuscle contraction, and cell volume. This gene encodes a member of the potassium channel, voltage-gated, subfamily H. This member is apore-forming (alpha) subunit. Several alternatively splicedtranscript variants have been identified from this gene, but thefull-length nature of only two transcript variants has beendetermined.

KCNH6 Antibody (Center) Blocking peptide - References

Liu, B.C., et al. Prog. Neuropsychopharmacol. Biol. Psychiatry 34(3):506-509(2010)Gutman, G.A., et al. Pharmacol. Rev. 57(4):473-508(2005)Bauer, C.K., et al. Pflugers Arch. 445(5):589-600(2003)Ganetzky, B., et al. Ann. N. Y. Acad. Sci. 868, 356-369 (1999):





modulated by cAMP and subunit assembly.

Cellular Location

Membrane; Multi-pass membrane protein.

Tissue Location

Expressed in prolactin-secreting adenomas.

KCNH6 Antibody (Center) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

• Blocking Peptides