

**MAP2 Antibody (C-term) Blocking Peptide**  
**Synthetic peptide**  
**Catalog # BP2018b****Specification****MAP2 Antibody (C-term) Blocking Peptide -  
Product Information**Primary Accession [P11137](#)**MAP2 Antibody (C-term) Blocking Peptide -  
Additional Information****Gene ID** 4133**Other Names**Microtubule-associated protein 2, MAP-2,  
MAP2**Target/Specificity**

The synthetic peptide sequence used to generate the antibody [<a href=/product/products/AP2018b>AP2018b</a>](#) was selected from the C-term region of human MAP2 . A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

**Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

**Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

**MAP2 Antibody (C-term) Blocking Peptide -  
Protein Information****Name** MAP2**Function****MAP2 Antibody (C-term) Blocking Peptide  
- Background**

This gene encodes a protein that belongs to the microtubule-associated protein family. The proteins of this family are thought to be involved in microtubule assembly, which is an essential step in neurogenesis. The exact function of this gene is still unknown. The products of similar genes in rat and mouse are neuron-specific cytoskeletal proteins that are enriched in dendrites, implicating a role in determining and stabilizing dendritic shape during neuron development.

**MAP2 Antibody (C-term) Blocking Peptide  
- References**

Lauckner, J., et al., Neurobiol. Aging 24(6):767-776 (2003).Laurine, E., et al., J. Biol. Chem. 278(32):29979-29986 (2003).Liu, Y., et al., Adv Anat Pathol 10(2):101-106 (2003).DeTure, M.A., et al., J. Biol. Chem. 277(38):34755-34759 (2002).Al-Bassam, J., et al., J. Cell Biol. 157(7):1187-1196 (2002).

The exact function of MAP2 is unknown but MAPs may stabilize the microtubules against depolymerization. They also seem to have a stiffening effect on microtubules.

**Cellular Location**

Cytoplasm, cytoskeleton. Cell projection, dendrite {ECO:0000250|UniProtKB:P20357}

**MAP2 Antibody (C-term) Blocking Peptide  
- Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)