

ADRB3 Blocking Peptide (C-Term)
Synthetic peptide
Catalog # BP21828b**Specification****ADRB3 Blocking Peptide (C-Term) - Product Information**Primary Accession [P13945](#)**ADRB3 Blocking Peptide (C-Term) - Additional Information**

Gene ID 155

Other Names

Beta-3 adrenergic receptor, Beta-3 adrenoreceptor, Beta-3 adrenoceptor, ADRB3, ADRB3R, B3AR

Target/Specificity

The synthetic peptide sequence is selected from aa 275-289 of HUMAN ADRB3

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

ADRB3 Blocking Peptide (C-Term) - Protein Information

Name ADRB3

Synonyms ADRB3R, B3AR

Function

Beta-adrenergic receptors mediate the catecholamine-induced activation of adenylate cyclase through the action of G

ADRB3 Blocking Peptide (C-Term) - Background

Beta-adrenergic receptors mediate the catecholamine- induced activation of adenylate cyclase through the action of G proteins. Beta-3 is involved in the regulation of lipolysis and thermogenesis.

ADRB3 Blocking Peptide (C-Term) - ReferencesEmorine L.J.,et al.Science
245:1118-1121(1989).
van Spronsen A.,et al.Eur. J. Biochem.
213:1117-1124(1993).
Lelias J.M.,et al.FEBS Lett. 324:127-130(1993).
Kopatz S.A.,et al.Submitted (NOV-2003) to the EMBL/GenBank/DDBJ databases.
Granneman J.G.,et al.Mol. Pharmacol.
42:964-970(1992).

proteins. Beta- 3 is involved in the regulation of lipolysis and thermogenesis.

Cellular Location

Cell membrane; Multi-pass membrane protein.

Tissue Location

Expressed mainly in adipose tissues.

**ADRB3 Blocking Peptide (C-Term) -
Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)