



## Phospho-mouse TSC1(S1130) Blocking Peptide

Synthetic peptide Catalog # BP3811a

## **Specification**

Phospho-mouse TSC1(S1130) Blocking Peptide - Product Information

Primary Accession <u>Q9EP53</u> Other Accession <u>NP 075025.2</u>

Phospho-mouse TSC1(S1130) Blocking Peptide - Additional Information

Gene ID 64930

#### **Other Names**

Hamartin, Tuberous sclerosis 1 protein homolog, Tsc1, Kiaa0243

#### Target/Specificity

The synthetic peptide sequence is selected from aa 1125-1138 of MOUSE Tsc1

### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

## Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

## **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

Phospho-mouse TSC1(S1130) Blocking Peptide - Protein Information

Name Tsc1

Synonyms Kiaa0243

#### **Function**

In complex with TSC2, inhibits the nutrient-mediated or growth factor-stimulated phosphorylation of S6K1

# Phospho-mouse TSC1(S1130) Blocking Peptide - Background

In complex with TSC2, inhibits the nutrient-mediated or growth factor-stimulated phosphorylation of S6K1 and EIF4EBP1 by negatively regulating mTORC1 signaling (By similarity). Implicated as a tumor suppressor. Involved in microtubule-mediated protein transport, but this seems to be due to unregulated mTOR signaling (By similarity).

## Phospho-mouse TSC1(S1130) Blocking Peptide - References

Kladney, R.D., et al. Cancer Res. 70(21):8937-8947(2010)
Sathaliyawala, T., et al. Immunity 33(4):597-606(2010)
Scott, C.L., et al. Am. J. Physiol. Lung Cell Mol. Physiol. 299 (4), L455-L471 (2010):
Bartolome, A., et al. Endocrinology 151(7):3084-3094(2010)
Squarize, C.H., et al. PLoS ONE 5 (5), E10643 (2010):



and EIF4EBP1 by negatively regulating mTORC1 signaling (By similarity). Implicated as a tumor suppressor. Involved in microtubule-mediated protein transport, but this seems to be due to unregulated mTOR signaling (PubMed:<a href="http://w ww.uniprot.org/citations/16707451" target=" blank">16707451</a>). Acts as a co-chaperone for HSP90AA1 facilitating HSP90AA1 chaperoning of protein clients such as kinases, TSC2 and glucocorticoid receptor NR3C1 (PubMed:<a href="http://w ww.uniprot.org/citations/29127155" target=" blank">29127155</a>). Increases ATP binding to HSP90AA1 and inhibits HSP90AA1 ATPase activity (PubMed:<a href="http://www.uniprot.org/c itations/29127155" target=" blank">29127155</a>). Competes with the activating co-chaperone AHSA1 for binding to HSP90AA1, thereby providing a reciprocal regulatory mechanism for chaperoning of client proteins (By similarity). Recruits TSC2 to HSP90AA1 and stabilizes TSC2 by preventing the interaction between TSC2 and ubiquitin ligase HERC1 (By similarity).

#### **Cellular Location**

Cytoplasm {ECO:0000250|UniProtKB:Q92574}.
Membrane {ECO:0000250|UniProtKB:Q92574};
Peripheral membrane protein {ECO:0000250|UniProtKB:Q92574}.
Note=At steady state found in association with membranes.
{ECO:0000250|UniProtKB:Q92574}

## Phospho-mouse TSC1(S1130) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

• Blocking Peptides