

**SCYL3 Antibody (N-term) Blocking Peptide**  
**Synthetic peptide**  
**Catalog # BP7248a****Specification**

---

**SCYL3 Antibody (N-term) Blocking Peptide -  
Product Information**Primary Accession [Q8IZE3](#)**SCYL3 Antibody (N-term) Blocking Peptide -  
Additional Information****Gene ID** 57147**Other Names**Protein-associating with the  
carboxyl-terminal domain of ezrin,  
Ezrin-binding protein PACE-1, SCY1-like  
protein 3, SCYL3, PACE1**Target/Specificity**

The synthetic peptide sequence used to generate the antibody [AP7248a](/product/products/AP7248a) was selected from the N-term region of human SCYL3. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

**Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

**Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

**SCYL3 Antibody (N-term) Blocking Peptide -  
Protein Information****Name** SCYL3**SCYL3 Antibody (N-term) Blocking Peptide  
- Background**

SCYL3 interacts with VIL2/Ezrin C-terminal domain and may play a role in regulating cell adhesion/migration complexes in migrating cells.

**SCYL3 Antibody (N-term) Blocking Peptide  
- References**Sullivan, A., et al., Exp. Cell Res.  
284(2):224-238 (2003).

**Synonyms** PACE1**Function**

May play a role in regulating cell adhesion/migration complexes in migrating cells.

**Cellular Location**

Cytoplasm. Golgi apparatus. Cell projection, lamellipodium. Note=Colocalized with EZR/VIL2, actin and CD44 in lamellipodia

**Tissue Location**

Ubiquitously expressed.

**SCYL3 Antibody (N-term) Blocking Peptide  
- Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)