

Phospho-Mlf1 Antibody Blocking Peptide
Synthetic peptide
Catalog # BP8400a**Specification****Phospho-Mlf1 Antibody Blocking Peptide -
Product Information**Primary Accession [P58340](#)**Phospho-Mlf1 Antibody Blocking Peptide -
Additional Information****Gene ID** 4291**Other Names**Myeloid leukemia factor 1,
Myelodysplasia-myeloid leukemia factor 1,
MLF1**Target/Specificity**

The synthetic peptide sequence used to generate the antibody [AP8400a](/product/products/AP8400a) was selected from the region of human Phospho-Mlf1. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

**Phospho-Mlf1 Antibody Blocking Peptide -
Protein Information****Name** MLF1**Phospho-Mlf1 Antibody Blocking Peptide -
References**

Arber, D.A., et al., Hum. Pathol. 34(8):809-813 (2003). Lim, R., et al., J. Biol. Chem. 277(43):40997-41008 (2002). Yoneda-Kato, N., et al., Oncogene 12(2):265-275 (1996).

Function

Involved in lineage commitment of primary hemopoietic progenitors by restricting erythroid formation and enhancing myeloid formation. Interferes with erythropoietin-induced erythroid terminal differentiation by preventing cells from exiting the cell cycle through suppression of CDKN1B/p27Kip1 levels. Suppresses COP1 activity via CSN3 which activates p53 and induces cell cycle arrest. Binds DNA and affects the expression of a number of genes so may function as a transcription factor in the nucleus.

Cellular Location

Cytoplasm

{ECO:0000250|UniProtKB:Q9QWV4}.

Nucleus

{ECO:0000250|UniProtKB:Q9QWV4}. Cell projection, cilium

{ECO:0000250|UniProtKB:Q9QWV4}.

Cytoplasm, cytoskeleton, cilium basal body

{ECO:0000250|UniProtKB:Q9QWV4}.

Note=Shuttles between the cytoplasm and nucleus.

{ECO:0000250|UniProtKB:Q9QWV4}

Tissue Location

Most abundant in testis, ovary, skeletal muscle, heart, kidney and colon. Low expression in spleen, thymus and peripheral blood leukocytes

Phospho-Mlf1 Antibody Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)