

**DNM3 Antibody (Center) Blocking Peptide**  
**Synthetic peptide**  
**Catalog # BP8833c****Specification**

---

**DNM3 Antibody (Center) Blocking Peptide -  
Product Information**Primary Accession [Q9UQ16](#)**DNM3 Antibody (Center) Blocking Peptide -  
Additional Information****Gene ID** 26052**Other Names**Dynammin-3, Dynammin, testicular, T-dynammin,  
DNM3, KIAA0820**Target/Specificity**

The synthetic peptide sequence used to generate the antibody [AP8833c](/products/AP8833c) was selected from the Center region of human DNM3. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

**Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

**Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

**DNM3 Antibody (Center) Blocking Peptide -  
Protein Information****Name** DNM3**Synonyms** KIAA0820**DNM3 Antibody (Center) Blocking Peptide  
- Background**

Members of the dynamin family, such as DNM3, possess mechanochemical properties involved in actin-membrane processes, predominantly in membrane budding.

**DNM3 Antibody (Center) Blocking Peptide  
- References**

Orth,J.D. et.al., Curr. Opin. Cell Biol. 15 (1), 31-39 (2003)

**Function**

Microtubule-associated force-producing protein involved in producing microtubule bundles and able to bind and hydrolyze GTP. Most probably involved in vesicular trafficking processes, in particular endocytosis (By similarity).

**Cellular Location**

Cytoplasm. Cytoplasm, cytoskeleton.  
Note=Microtubule-associated.

**DNM3 Antibody (Center) Blocking Peptide  
- Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)