

Anti-ERK/MAPK Antibody

**Our Anti-ERK/MAPK rabbit polyclonal primary antibody from PhosphoSolutions is produced in-house. It
Catalog # AN1378**

Specification

Anti-ERK/MAPK Antibody - Product Information

Application	WB
Primary Accession	P63086
Reactivity	Bovine
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Calculated MW	41276

Anti-ERK/MAPK Antibody - Additional Information

Gene ID **116590**

Other Names

ERK 1 antibody, ERK 2 antibody, ERK-2 antibody, ERK1 antibody, erk1/2 antibody, ERK2 antibody, ERT1 antibody, ERT2 antibody, Extracellular signal regulated kinase 1 antibody, Extracellular signal-regulated kinase 2 antibody, MAP kinase 1 antibody, MAP kinase 2 antibody, MAP kinase isoform p42 antibody, MAP kinase isoform p44 antibody, MAPK 1 antibody, MAPK 2 antibody, MAPK 3 antibody, Mapk1 antibody, MAPK2 antibody, MAPK3 antibody, Mitogen-activated protein kinase 1 antibody, Mitogen-activated protein kinase 2 antibody, MK01_HUMAN antibody, p38 antibody, p40 antibody, p41 antibody, p42-MAPK antibody, PRKM 2 antibody

Target/Specificity

Extracellular-Signal Regulated Kinase/Mitogen-Activated Protein Kinase (ERK/MAPK) is an integral component of cellular signaling during mitogenesis and differentiation of mitotic cells and also is thought to play a key role in learning and memory (Adams and Sweatt, 2002; Ahn, 1993; Tanoue and Nishida, 2003; Johnson and Lapadat, 2002). The activity of this kinase is regulated by dual phosphorylation at Thr202 and Tyr204 (Ahn, 1993).

Dilution

WB~~1:1000

Format

Antigen Affinity Purified from Pooled Serum

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Anti-ERK/MAPK Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Shipping


Blue Ice

Anti-ERK/MAPK Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-ERK/MAPK Antibody - Images



Western blot of rat hippocampal homogenate showing specific immunolabeling of the ~42-44 kDa ERK/MAPK protein.

Anti-ERK/MAPK Antibody - Background

Extracellular-Signal Regulated Kinase/Mitogen-Activated Protein Kinase (ERK/MAPK) is an integral component of cellular signaling during mitogenesis and differentiation of mitotic cells and also is thought to play a key role in learning and memory (Adams and Sweatt, 2002; Ahn, 1993; Tanoue and Nishida, 2003; Johnson and Lapadat, 2002). The activity of this kinase is regulated by dual phosphorylation at Thr202 and Tyr204 (Ahn, 1993).