

### **RHEX Antibody (C-term)**

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP5963b

## **Specification**

# **RHEX Antibody (C-term) - Product Information**

Application WB, IHC-P,E
Primary Accession O6ZWK4

Other Accession NP\_001007545.1

Reactivity
Human
Host
Clonality
Polyclonal
Isotype
Antigen Region
Human
Rabbit
Rabbit
Polyclonal
Rabbit IgG

## RHEX Antibody (C-term) - Additional Information

### Gene ID 440712

### **Other Names**

Regulator of hemoglobinization and erythroid cell expansion protein; Regulator of human erythroid cell expansion protein

### Target/Specificity

This C1orf186 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 121-150 amino acids from the C-terminal region of human C1orf186.

# **Dilution**

WB~~1:1000 IHC-P~~1:50~100

 $E\sim\sim$ Use at an assay dependent concentration.

#### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

### **Precautions**

RHEX Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

# RHEX Antibody (C-term) - Protein Information

Name RHEX (HGNC:25341)



Tel: 858.875.1900 Fax: 858.875.1999

Function Acts as a signaling transduction factor of the EPO-EPOR signaling pathway promoting erythroid cell differentiation (PubMed: 25092874).

#### **Cellular Location**

Cell membrane; Single-pass membrane protein

#### **Tissue Location**


Expressed in the proerythroblasts (at protein level) (PubMed:25092874). Expressed strongly in the kidney (PubMed:25092874). Expressed weakly in the pancreas, liver and lung (PubMed:25092874). Expressed strongly in erythroid progenitor cells (EPCs) (PubMed:25092874). Expressed weakly in T-cells and neutrophils (PubMed:25092874).

## RHEX Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


## RHEX Antibody (C-term) - Images



C1orf186 Antibody (C-term) (Cat. #AP5963b) western blot analysis in Ramos cell line lysates (35ug/lane). This demonstrates the Clorf186 antibody detected the Clorf186 protein (arrow).







Clorf186 antibody (C-term) (Cat. #AP5963b) immunohistochemistry analysis in formalin fixed and paraffin embedded human kidney tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the Clorf186 antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.