

**Anti-Integrin α L / ITGAL / CD11a Reference Antibody (efalizumab)
Recombinant Antibody
Catalog # APR10369****Specification****Anti-Integrin α L / ITGAL / CD11a Reference Antibody (efalizumab) - Product Information**

Application	FC, Kinetics, Animal Model
Primary Accession	P20701
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG1
Calculated MW	146.14 KDa

Anti-Integrin α L / ITGAL / CD11a Reference Antibody (efalizumab) - Additional Information**Target/Specificity**Integrin α L / ITGAL / CD11a**Endotoxin**< 0.001EU/ μ g,determined by LAL method.**Conjugation**

Unconjugated

Expression system

CHO Cell

Format

Purified monoclonal antibody supplied in PBS, pH6.0, without preservative.This antibody is purified through a protein A column.

Anti-Integrin α L / ITGAL / CD11a Reference Antibody (efalizumab) - Protein Information**Name** ITGAL ([HGNC:6148](#))**Synonyms** CD11A**Function**

Integrin ITGAL/ITGB2 is a receptor for ICAM1, ICAM2, ICAM3 and ICAM4. Integrin ITGAL/ITGB2 is a receptor for F11R (PubMed:11812992, PubMed:15528364). Integrin ITGAL/ITGB2 is a receptor for the secreted form of ubiquitin-like protein ISG15; the interaction is mediated by ITGAL (PubMed:29100055). Involved in a variety of immune phenomena including leukocyte-endothelial cell interaction, cytotoxic T-cell mediated killing, and antibody dependent killing by granulocytes and monocytes. Contributes to natural killer cell cytotoxicity (PubMed:<a href="http://www.uniprot.org/citations/15356110"

target="_blank">15356110). Involved in leukocyte adhesion and transmigration of leukocytes including T-cells and neutrophils (PubMed:11812992). Acts as a platform at the immunological synapse to translate TCR engagement and density of the ITGAL ligand ICAM1 into graded adhesion (PubMed:38195629). Required for generation of common lymphoid progenitor cells in bone marrow, indicating a role in lymphopoiesis (By similarity). Integrin ITGAL/ITGB2 in association with ICAM3, contributes to apoptotic neutrophil phagocytosis by macrophages (PubMed:23775590).

Cellular Location

Cell membrane; Single-pass type I membrane protein. Note=Upon antigen recognition by the TCR, is recruited to lipid rafts (PubMed:15684041).

Tissue Location


Leukocytes.

Anti-Integrin α L / ITGAL / CD11a Reference Antibody (efalizumab) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-Integrin α L / ITGAL / CD11a Reference Antibody (efalizumab) - Images



Anti-Integrin α L / ITGAL / CD11a Reference Antibody (efalizumab) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%



The purity of Anti-Integrin α L / ITGAL / CD11a Reference Antibody (efalizumab) is more than 98.77% ,determined by SEC-HPLC.