

# Integrin alpha 4 (ITGA4/CD49d) Rabbit pAb

Catalog No.: A0696 1 Publications

### **Basic Information**

### **Observed MW**

70kDa/140kDa/150kDa

#### **Calculated MW**

115kDa

#### Category

Polyclonal Antibody

#### **Applications**

WB, ELISA

### **Cross-Reactivity**

Human

# **Background**

The gene encodes a member of the integrin alpha chain family of proteins. Integrins are heterodimeric integral membrane proteins composed of an alpha chain and a beta chain that function in cell surface adhesion and signaling. The encoded preproprotein is proteolytically processed to generate light and heavy chains that comprise the alpha 4 subunit. This subunit associates with a beta 1 or beta 7 subunit to form an integrin that may play a role in cell motility and migration. This integrin is a therapeutic target for the treatment of multiple sclerosis, Crohn's disease and inflammatory bowel disease. Alternative splicing results in multiple transcript variants.

# **Recommended Dilutions**

WB

1:500 - 1:1000

# **Immunogen Information**

Gene ID 3676 **Swiss Prot** 

P13612

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 770-970 of human Integrin alpha 4 (ITGA4/CD49d) (NP\_000876.3).

## **Synonyms**

IA4; CD49D; Integrin alpha 4 (ITGA4/CD49d)

### Contact

 $\odot$ 

www.abclonal.com

### **Product Information**

Source

Isotype

**Purification** 

Rabbit

IgG


Affinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

# Validation Data



Western blot analysis of Jurkat, using Integrinal pha4(ITGA4/CD49d) antibody (A0696) at 1:1000 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 180s.