# ABclonal www.abclonal.com

## **ARAP2 Rabbit pAb**

Catalog No.: A12254

## **Basic Information**

#### **Observed MW**

170kDa

#### **Calculated MW**

193kDa

#### Category

Polyclonal Antibody

## **Applications**

WB, ELISA

## **Cross-Reactivity**

Human, Mouse

## **Background**

The protein encoded by this gene contains ARF-GAP, RHO-GAP, ankyrin repeat, RAS-associating, and pleckstrin homology domains. The protein is a phosphatidylinositol (3,4,5)-trisphosphate-dependent Arf6 GAP that binds RhoA-GTP, but it lacks the predicted catalytic arginine in the RHO-GAP domain and does not have RHO-GAP activity. The protein associates with focal adhesions and functions downstream of RhoA to regulate focal adhesion dynamics.

## **Recommended Dilutions**

WB 1:500 - 1:2000

**ELISA** 

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

## **Immunogen Information**

**Gene ID**Swiss Prot
116984
Q8WZ64

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 1405-1704 of human ARAP2 (NP\_056045.2).

#### **Synonyms**

PARX; CENTD1; ARAP2

## **Contact**

www.abclonal.com


## **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

## Validation Data



Western blot analysis of various lysates using ARAP2 Rabbit pAb (A12254) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 5s.