# TNFAIP1 Rabbit pAb

www.abclonal.com

ABclomal

Catalog No.: A17543

# **Basic Information**

#### **Observed MW**

36kDa

#### **Calculated MW**

36kDa

## **Category**

Polyclonal Antibody

## **Applications**

WB, ELISA

## **Cross-Reactivity**

Human

# **Background**

This gene was identified as a gene whose expression can be induced by the tumor necrosis factor alpha (TNF) in umbilical vein endothelial cells. Studies of a similar gene in mouse suggest that the expression of this gene is developmentally regulated in a tissue-specific manner.

# **Recommended Dilutions**

**WB** 1:500 - 1:2000

**ELISA** 

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

## **Immunogen Information**

**Gene ID**7126 **Swiss Prot**Q13829

## **Immunogen**

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

# **Synonyms**

B12; B61; EDP1; BTBD34; hBACURD2; TNFAIP1

## **Contact**

www.abclonal.com


# **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

### Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

# Validation Data



Western blot analysis of lysates from K-562 cells, using TNFAIP1 Rabbit pAb (A17543) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.