ABclonal www.abclonal.com

RPB3/POLR2C Rabbit pAb

Catalog No.: A1785 1 Publications

Basic Information

Observed MW

38kDa

Calculated MW

31kDa

Category

Polyclonal Antibody

Applications

WB,IP,ELISA

Cross-Reactivity

Human, Mouse

Background

This gene encodes the third largest subunit of RNA polymerase II, the polymerase responsible for synthesizing messenger RNA in eukaryotes. The product of this gene contains a cysteine rich region and exists as a heterodimer with another polymerase subunit, POLR2J. These two subunits form a core subassembly unit of the polymerase. A pseudogene has been identified on chromosome 21.

Recommended Dilutions

WB 1:500 - 1:2000

IP 0.5μg-4μg antibody for

200µg-400µg extracts

of whole cells

ELISA Recommended starting

concentration is 1

μg/mL. Please optimize the concentration based on your specific

assay requirements.

Contact

www.abclonal.com

Immunogen Information

Gene IDSwiss Prot
5432
P19387

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

RPB3; RPB31; hRPB33; hsRPB3; RPB3/POLR2C


Product Information

SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.




Western blot analysis of various lysates using RPB3/POLR2C Rabbit pAb (A1785) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.



Immunoprecipitation analysis of 150 μ g extracts of SW620 cells using 3 μ g RPB3/POLR2C antibody (A1785). Western blot was performed from the immunoprecipitate using RPB3/POLR2C antibody (A1785) at a dilution of 1:500.