# ABclonal www.abclonal.com

# **Bmi1 Rabbit mAb**

Catalog No.: A17914 Recombinant

1 Publications

### **Basic Information**

#### **Observed MW**

40kDa

#### **Calculated MW**

37kDa

### Category

SMab Recombinant Monoclonal Antibody

### **Applications**

WB, ELISA

### **Cross-Reactivity**

Human, Rat

#### CloneNo number

ARC0376

# Background

This gene encodes a ring finger protein that is major component of the polycomb group complex 1 (PRC1). This complex functions through chromatin remodeling as an essential epigenetic repressor of multiple regulatory genes involved in embryonic development and self-renewal in somatic stem cells. This protein also plays a central role in DNA damage repair. This gene is an oncogene and aberrant expression is associated with numerous cancers and is associated with resistance to certain chemotherapies. A pseudogene of this gene is found on chromosome X. Read-through transcription also exists between this gene and the upstream COMM domain containing 3 (COMMD3) gene.

# **Recommended Dilutions**

**WB** 

1:500 - 1:1000

### **Immunogen Information**

**Gene ID** 

**Swiss Prot** 

648

P35226

### **Immunogen**

A synthetic peptide corresponding to a sequence within amino acids 227-326 of human Bmi1 (P35226).

# **Synonyms**

PCGF4; RNF51; FLVI2/BMI1; flvi-2/bmi-1; Bmi1

### **Contact**

€

www.abclonal.com

### **Product Information**

Source Rabbit

**Isotype** 

**Purification** 

IgG


Affinity purification

# Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide, 0.05% BSA, 50% glycerol, pH7.3.

# **Validation Data**



Western blot analysis of extracts of various cell lines, using Bmi1 antibody (A17914) at 1:1000 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 60s.