# ABclonal® www.abclonal.com

# **BDNF Mouse mAb**

Catalog No.: A18129 11 Publications

## **Basic Information**

#### **Observed MW**

28kDa

#### **Calculated MW**

28kDa

## Category

Monoclonal Antibody

## **Applications**

WB,ELISA

## **Cross-Reactivity**

Mouse,Rat

#### CloneNo number

AMC0122

# **Background**

This gene encodes a member of the nerve growth factor family of proteins. Alternative splicing results in multiple transcript variants, at least one of which encodes a preproprotein that is proteolytically processed to generate the mature protein. Binding of this protein to its cognate receptor promotes neuronal survival in the adult brain. Expression of this gene is reduced in Alzheimer's, Parkinson's, and Huntington's disease patients. This gene may play a role in the regulation of the stress response and in the biology of mood disorders.

# **Recommended Dilutions**

WB 1:5000 - 1:20000

**ELISA** 

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

## **Immunogen Information**

**Gene ID**Swiss Prot
P23560

## **Immunogen**

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

## **Synonyms**

ANON2; BULN2; BDNF

## **Contact**

www.abclonal.com

## **Product Information**


SourceIsotypePurificationMouseIgG2a,kappaAffinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

# Validation Data



Western blot analysis of various lysates using BDNF Mouse mAb (A18129) at 1:10000

dilution.

Secondary antibody: HRP-conjugated Goat anti-Mouse IgG (H+L) (AS003) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 60s.