Leader in Biomolecular Solutions for Life Science



K63-linkage Specific Polyubiquitin Rabbit pAb

Catalog No.: A18164 7 Publications

Basic Information

Observed MW

15-200kDa

Calculated MW

Category

Polyclonal Antibody

Applications

ELISA, DB

Cross-Reactivity

Human, Mouse, Rat, Other (Wide Range Predicted)

Background

Ubiquitination, one type of the most common post-

translation almo diffication, mediates the regulation of protein homeostasis in vivo. Since ubiquitinits el frontains multiple ly since residues and one N-

terminalfreeaminogroup, eighttypes of ubiquitinchains can be formed.? K63-linked polyubiquitin chains exert nonproteolytic functions in vivo, such as protein trafficking, kinase/phosphatase activation, and DNA damage control, all of which might be important in regulation of cancer survival and development (PMID: 19217402, PMCID: PMC3008764).

Recommended Dilutions

DB 1:500 - 1:1000

ELISA

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID Swiss Prot

Immunogen

Synthetic peptide. This information is considered to be commercially sensitive.

Synonyms

Contact


www.abclonal.com

Product Information

SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.



Dot-blot analysis of all sorts of peptides using K63-linkage Specific Polyubiquitin antibody (A18164) at 1:1000 dilution.