# ABclonal® www.abclonal.com

## PAI-1/Serpin E1 Rabbit mAb

Catalog No.: A19096 Recombinant 3 Publications

## **Basic Information**

#### **Observed MW**

45-50kDa

#### **Calculated MW**

45kDa

#### Category

SMab Recombinant Monoclonal Antibody

## **Applications**

WB, ELISA

## **Cross-Reactivity**

Human

#### CloneNo number

ARC0473

## **Background**

This gene encodes a member of the serine proteinase inhibitor (serpin) superfamily. This member is the principal inhibitor of tissue plasminogen activator (tPA) and urokinase (uPA), and hence is an inhibitor of fibrinolysis. The protein also functions as a component of innate antiviral immunity. Defects in this gene are the cause of plasminogen activator inhibitor-1 deficiency (PAI-1 deficiency), and high concentrations of the gene product are associated with thrombophilia.

## **Recommended Dilutions**

**WB** 1:1000 - 1:6000

**ELISA** 

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

## **Immunogen Information**

**Gene ID**Swiss Prot
5054
P05121

### **Immunogen**

A synthetic peptide corresponding to a sequence within amino acids 50-150 of human PAI-1/Serpin E1 (P05121).

#### **Synonyms**

PAI; PAI1; PAI-1; PLANH1; PAI-1/Serpin E1

## Contact

www.abclonal.com

## **Product Information**


SourceIsotypePurificationRabbitIgGAffinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide, 0.05% BSA, 50% glycerol, pH7.3.

## Validation Data



Western blot analysis of lysates from HepG2 cells, using PAI-1/Serpin E1 Rabbit mAb (A19096) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 1s.