# ABclonal® www.abclonal.com

## SARS-CoV-2 N Protein Rabbit pAb

Catalog No.: A20607

## **Basic Information**

### **Observed MW**

55kDa

#### **Calculated MW**

46kDa

#### Category

Polyclonal Antibody

### **Applications**

WB, ELISA

## **Cross-Reactivity**

SARS-CoV-2

## **Background**

Packages the positive strand viral genome RNA into a helical ribonucleocapsid (RNP and plays a fundamental role during virion assembly through its interactions with the viral genome and membrane protein M. Plays an important role in enhancing the efficiency of subgenomic viral RNA transcription as well as viral replication. May modulate transforming growth factor-beta signaling by binding host SMAD3.

## **Recommended Dilutions**

**WB** 1:500 - 1:1000

**ELISA** 

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

## **Immunogen Information**

 Gene ID
 Swiss Prot

 1489678
 P59595

### **Immunogen**

Synthetic peptide. This information is considered to be commercially sensitive.

## **Synonyms**

## **Contact**

www.abclonal.com

## **Product Information**


SourceIsotypePurificationRabbitIgGAffinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

## **Validation Data**



Western blot analysis of Recombinant SARS-CoV Nucleocapsid Protein (RP01296LQ), using SARS-CoV-2 N Protein Rabbit pAb (A20607) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 100ng/10ng per lane. Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.