# ABclonal www.abclonal.com

## Claudin 1 Rabbit pAb

Catalog No.: A2196 37 Publications

## **Basic Information**

## **Observed MW**

20kDa

#### **Calculated MW**

23kDa

#### Category

Polyclonal Antibody

### **Applications**

WB, ELISA

## **Cross-Reactivity**

Human

## **Background**

Tight junctions represent one mode of cell-to-cell adhesion in epithelial or endothelial cell sheets, forming continuous seals around cells and serving as a physical barrier to prevent solutes and water from passing freely through the paracellular space. These junctions are comprised of sets of continuous networking strands in the outwardly facing cytoplasmic leaflet, with complementary grooves in the inwardly facing extracytoplasmic leaflet. The protein encoded by this gene, a member of the claudin family, is an integral membrane protein and a component of tight junction strands. Loss of function mutations result in neonatal ichthyosis-sclerosing cholangitis syndrome.

## **Recommended Dilutions**

WB 1:500 - 1:1000

**ELISA** 

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

## **Immunogen Information**

 Gene ID
 Swiss Prot

 9076
 O95832

### **Immunogen**

Synthetic peptide. This information is considered to be commercially sensitive.

## **Synonyms**

CLD1; SEMP1; ILVASC; Claudin 1

## **Contact**

www.abclonal.com


## **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.09% sodium azide 50% glycerol pH7.3.

## Validation Data



Western blot analysis of lysates from A-431 cells, using Claudin 1 Rabbit pAb (A2196) at 1:500 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 30s.