ABclonal®

RING1B/RNF2 Rabbit pAb

Catalog No.: A2232

Basic Information

Observed MW

37kDa

Calculated MW

38kDa

Category

Polyclonal Antibody

Applications

WB

Cross-Reactivity

Human, Mouse

Background

Polycomb group (PcG) of proteins form the multiprotein complexes that are important for the transcription repression of various genes involved in development and cell proliferation. The protein encoded by this gene is one of the PcG proteins. It has been shown to interact with, and suppress the activity of, transcription factor CP2 (TFCP2/CP2). Studies of the mouse counterpart suggested the involvement of this gene in the specification of anterior-posterior axis, as well as in cell proliferation in early development. This protein was also found to interact with huntingtin interacting protein 2 (HIP2), an ubiquitin-conjugating enzyme, and possess ubiquitin ligase activity.

Recommended Dilutions

WB

1:200 - 1:2000

Immunogen Information

Gene ID

Swiss Prot

6045

Q99496

Immunogen

Synthetic peptide. This information is considered to be commercially sensitive.

Synonyms

BAP1; DING; BAP-1; HIPI3; RING2; LUSYAM; RING1B; RING1B/RNF2

Contact

•

www.abclonal.com

Product Information

Source Rabbit Isotype

Purification

_.


IgG

Affinity purification

Storage

Store at 4°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,pH7.3.

Validation Data



Western blot analysis of various lysates using RING1B/RNF2 Rabbit pAb (A2232). Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.