# ABclonal® www.abclonal.com

## **VPRBP** Rabbit pAb

Catalog No.: A24518

## **Basic Information**

#### **Observed MW**

170kDa

#### **Calculated MW**

118kDa/168kDa/169kDa

#### Category

Polyclonal Antibody

## **Applications**

WB, ELISA

## **Cross-Reactivity**

Mouse

## **Background**

Enables estrogen receptor binding activity and histone kinase activity (H2A-T120 specific). Involved in cell competition in a multicellular organism; histone H2A-T120 phosphorylation; and negative regulation of transcription by RNA polymerase II. Located in fibrillar center and nucleoplasm. Part of Cul4-RING E3 ubiquitin ligase complex. Colocalizes with COP9 signalosome.

## **Recommended Dilutions**

**WB** 1:500 - 1:1000

**ELISA** 

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

## **Immunogen Information**

 Gene ID
 Swiss Prot

 9730
 Q9Y4B6

### **Immunogen**

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

#### **Synonyms**

RIP; VPRBP

## Contact

www.abclonal.com


## **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.

## Validation Data



Western blot analysis of various lysates, using VPRBP Rabbit pAb (A24518) at 1:1000

dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000  $\,$ 

dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 180s.