# ABclonal www.abclonal.com

## Cytokeratin 17 (KRT17) Rabbit mAb

Catalog No.: A3769 Recombinant 1 Publications

## **Basic Information**

#### **Observed MW**

48kDa

#### **Calculated MW**

48kDa

### **Category**

SMab Recombinant Monoclonal Antibody

## **Applications**

WB, ELISA

## **Cross-Reactivity**

Human, Mouse, Rat

#### CloneNo number

ARC0271

## **Background**

This gene encodes the type I intermediate filament chain keratin 17, expressed in nail bed, hair follicle, sebaceous glands, and other epidermal appendages. Mutations in this gene lead to Jackson-Lawler type pachyonychia congenita and steatocystoma multiplex.

## **Recommended Dilutions**

WB 1:500 - 1:1000

**ELISA** 

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

## **Immunogen Information**

**Gene ID**3872

Swiss Prot
Q04695

## Immunogen

Synthetic peptide. This information is considered to be commercially sensitive.

## **Synonyms**

PC; K17; PC2; 39.1; CK-17; PCHC1; Cytokeratin 17 (KRT17)

## Contact

www.abclonal.com

## **Product Information**


SourceIsotypePurificationRabbitIgGAffinity purification

### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide, 0.05% BSA, 50% glycerol, pH7.3.

## Validation Data



Western blot analysis of lysates from HeLa cells, using Cytokeratin 17 (KRT17) Rabbit mAb (A3769) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.