# ABclonal® www.abclonal.com

## Peroxiredoxin 6 Rabbit mAb

Catalog No.: A4286 Recombinant

## **Basic Information**

#### **Observed MW**

25kDa

#### **Calculated MW**

25kDa

#### Category

SMab Recombinant Monoclonal Antibody

## **Applications**

WB, ELISA

## **Cross-Reactivity**

Human, Mouse, Rat

#### CloneNo number

ARC0954

## **Background**

The protein encoded by this gene is a member of the thiol-specific antioxidant protein family. This protein is a bifunctional enzyme with two distinct active sites. It is involved in redox regulation of the cell; it can reduce H(2)O(2) and short chain organic, fatty acid, and phospholipid hydroperoxides. It may play a role in the regulation of phospholipid turnover as well as in protection against oxidative injury.

## **Recommended Dilutions**

WB 1:500 - 1:1000

**ELISA** 

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

## **Immunogen Information**

**Gene ID**9588

Swiss Prot
P30041

### **Immunogen**

Synthetic peptide. This information is considered to be commercially sensitive.

## **Synonyms**

PRX; p29; AOP2; 1-Cys; NSGPx; aiPLA2; LPCAT-5; HEL-S-128m; Peroxiredoxin 6

## Contact

www.abclonal.com

## **Product Information**


SourceIsotypePurificationRabbitIgGAffinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide, 0.05% BSA, 50% glycerol, pH7.3.

## Validation Data



Western blot analysis of various lysates using Peroxiredoxin 6 Rabbit mAb (A4286) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 10s.