# ABclonal www.abclonal.com

# **UGCG** Rabbit pAb

Catalog No.: A6317 1 Publications

### **Basic Information**

#### **Observed MW**

50kDa

### **Calculated MW**

45kDa

### Category

Polyclonal Antibody

### **Applications**

WB,ELISA

### **Cross-Reactivity**

Human, Mouse, Rat

## **Background**

This gene encodes an enzyme that catalyzes the first glycosylation step in the biosynthesis of glycosphingolipids, which are membrane components containing lipid and sugar moieties. The product of this reaction is glucosylceramide, which is the core structure of many glycosphingolipids.

# **Recommended Dilutions**

WB 1:500 - 1:2000

**ELISA** 

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

### **Immunogen Information**

**Gene ID Swiss Prot** 7357 Q16739

### **Immunogen**

Synthetic peptide. This information is considered to be commercially sensitive.

### **Synonyms**

GCS; GLCT1; UGCG

### Contact

0 www.abclonal.com


### **Product Information**

Source **Isotype Purification** Rabbit Affinity purification IgG

### Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

## Validation Data



Western blot analysis of lysates from HeLa cells using UGCG Rabbit pAb (A6317) at 1:2000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25 µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time:60s.