ABclonal www.abclonal.com

PUF60 Rabbit pAb

Catalog No.: A6709 2 Publications

Basic Information

Observed MW

65kDa

Calculated MW

60kDa

Category

Polyclonal Antibody

Applications

WB,IP,ELISA

Cross-Reactivity

Human, Mouse, Rat

Background

This gene encodes a nucleic acid-binding protein that plays a role in a variety of nuclear processes, including pre-mRNA splicing and transcriptional regulation. The encoded protein forms a complex with the far upstream DNA element (FUSE) and FUSE-binding protein at the myelocytomatosis oncogene (MYC) promoter. This complex represses MYC transcription through the core-TFIIH basal transcription factor. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene

Recommended Dilutions

WB 1:500 - 1:2000

IP 0.5μg-4μg antibody for

200μg-400μg extracts

of whole cells

ELISA Recommended starting

concentration is 1

μg/mL. Please optimize the concentration based on your specific

assay requirements.

Contact

www.abclonal.com

Immunogen Information

Gene ID22827

Swiss Prot
Q9UHX1

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

FIR; VRJS; RoBPI; SIAHBP1; PUF60

Product Information


SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Validation Data



Western blot analysis of various lysates using PUF60 Rabbit pAb (A6709) at 1:1000 dilution.


Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 30s.



Immunoprecipitation analysis of 150 μ g extracts of A549 cells using 3 μ g PUF60 antibody (A6709). Western blot was performed from the immunoprecipitate using PUF60 antibody (A6709) at a dilution of 1:500.