# **CHRAC1** Rabbit pAb

www.abclonal.com

ABclonal

Catalog No.: A7372

## **Basic Information**

#### **Observed MW**

15kDa

#### **Calculated MW**

15kDa

### Category

Polyclonal Antibody

# **Applications**

WB, ELISA

### **Cross-Reactivity**

Human

# **Background**

CHRAC1 is a histone-fold protein that interacts with other histone-fold proteins to bind DNA in a sequence-independent manner. These histone-fold protein dimers combine within larger enzymatic complexes for DNA transcription, replication, and packaging.

# **Recommended Dilutions**

WB 1:500 - 1:1000

**ELISA** 

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

# **Immunogen Information**

**Gene ID Swiss Prot** 54108 Q9NRG0

### **Immunogen**

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

### **Synonyms**

YCL1; CHARC1; CHARC15; CHRAC-1; CHRAC15; CHRAC-15; CHRAC1

# Contact

0 www.abclonal.com

### **Product Information**


Source **Isotype Purification** Rabbit Affinity purification IgG

### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

# Validation Data



Western blot analysis of various lysates using CHRAC1 Rabbit pAb (A7372) at 1:1000

dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 60s.