ABclonal www.abclonal.com

Rabbit anti-Human TFF3 mAb

Catalog No.: RMK0021

Basic Information

Catagory

Matched Antibody Pair

Applications

ELISA, Multiplex

Product Information

Ig Type

Rabbit IgG

Purification

Affinity purification

Endotoxin Level

Storage


Store unopened kit at 2-8 °C for1 week. If more than one week, please keep the components of the kit according to the instructions.Do not use past kit expiration date.

Avoid repeated freeze-thaw cycles.

Formulation

Supplied as a 0.2um filtered solution in PBS with 0.05%ProClin 300,PH 7.4.

Contact



Background

Members of the trefoil family are characterized by having at least one copy of the trefoil motif, a 40-amino acid domain that contains three conserved disulfides. They are stable secretory proteins expressed in gastrointestinal mucosa. Their functions are not defined, but they may protect the mucosa from insults, stabilize the mucus layer and affect healing of the epithelium. This gene is expressed in goblet cells of the intestines and colon. This gene and two other related trefoil family member genes are found in a cluster on chromosome 21.

Immunogen Information

Immunogen

Recombinant Human TFF3 Protein

Cross-Reactivity


/

Assay Applications


Human TFF3 Sandwich ELISA/Multiplex

		Recommended Concentration	Sample
ELISA	Capture	0.5-2ug/mL	Rabbit anti-Human TFF3 mAb(Cat. No.RMK0021)
	Detection	0.005-0.02ug/mL	Rabbit anti-Human TFF3 mAb(Cat. No.RMK0022)
	Standard	39.06-2500pg/mL	Recombinant Human TFF3 Protein
Multiplex	Capture	3-20ug/mL	Rabbit anti-Human TFF3 mAb(Cat. No.RMK0238)
	Detection	0.017-2ug/mL	Rabbit anti-Human TFF3 mAb(Cat. No.RMK0021)
	Standard	6.86-5000pg/mL	Recombinant Human TFF3 Protein


Validation Data



This standard curve is only for demonstration purposes. A standard curve should be generated for eachassay.



This standard curve is only for demonstration purposes. A standard curve should be generated for each assay.



This standard curve is only for demonstration purposes. A standard curve should be generated for eachassay.