

RP00032

Leader in Biomolecular Solutions for Life Science



# Recombinant Human IκB-α/NFKBIA Protein

Catalog No.: RP00032

Recombinant

1 Publications

## Sequence Information

Species	Gene ID	Swiss Prot
<I>E. coli</I>	4792	P25963

### Tags

No tag

### Synonyms

IKBA; MAD-3;  
NFKBI;NFKBIA;MAD-3;NFKBI;IKB  
α;EDAID2; IKBA; NFKB inhibitor  
α

## Product Information

Source	Purification
<I>E. coli</I>	> 90% by SDS-PAGE.

### Endotoxin

< 1.0 EU/μg of the protein by LAL method.

### Formulation

Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4. Contact us for customized product form or formulation.

### Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

## Background

This protein is a member of the NF-κB inhibitor family, which contain multiple ankrin repeat domains. The protein interacts with REL dimers to inhibit NF-κB/REL complexes which are involved in inflammatory responses. The protein moves between the cytoplasm and the nucleus via a nuclear localization signal and CRM1-mediated nuclear export. Mutations in this gene have been found in ectodermal dysplasia anhidrotic with T-cell immunodeficiency autosomal dominant disease.

## Basic Information

### Description

Recombinant Human IκB-α/NFKBIA Protein is produced by <I>E. coli</I> expression system. The target protein is expressed with sequence (Phe2-Leu317) of human IκB-α (Accession #NP\_065390.1).

### Bio-Activity

Measured by its binding ability in a functional ELISA. Immobilized Human IκB-α Protein at 2 μg/mL (100 μL/well) can bind IκBα Rabbit mAb with a linear range of 0.195-0.64 ng/mL.

### Storage


Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt. <br/>After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week. Avoid repeated freeze/thaw cycles.

## Contact




[www.abclonal.com](http://www.abclonal.com)

## Validation Data



Recombinant Human IkB-alpha/NFKBIA Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



Immobilized Human IkB-alpha Protein at 2 µg/mL (100 µL/well) can bind IkBα Rabbit mAb with a linear range of 0.195-0.64 ng/mL.