

# Recombinant Human Beta-2-microglobulin/B2M Protein

Catalog No.: RP00105 Recombinant

## **Sequence Information**

**Species Gene ID Swiss Prot** HEK293 cells 567 P61769

Tags C-His

**Synonyms** 

B2M; IMD43; beta-2-microglobulin;IMD43

## **Product Information**

**Source** Purification
HEK293 cells > 97% by SDSPAGE.

## **Endotoxin**

< 0.1 EU/ $\mu$ g of the protein by LAL method.

## **Formulation**

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.Contact us for customized product form or formulation.

## Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

## **Contact**

•

www.abclonal.com

## **Background**

This protein is a serum protein found in association with the major histocompatibility complex (MHC) class I heavy chain on the surface of nearly all nucleated cells. The protein has a predominantly beta-pleated sheet structure that can form amyloid fibrils in some pathological conditions. The encoded antimicrobial protein displays antibacterial activity in amniotic fluid. A mutation in this gene has been shown to result in hypercatabolic hypoproteinemia.

## **Basic Information**

#### Description

Recombinant Human Beta-2-microglobulin/B2M Protein is produced by HEK293 expression system. The target protein is expressed with sequence (Ile21-Met119) of human B2M/Beta-2-microglobulin (Accession #NP\_004039.1) fused with a 6×His tag at the C-terminus.

## **Bio-Activity**


Measured by its binding ability in a functional ELISA. Immobilized Recombinant Human B2M at 2  $\mu$ g/mL (100  $\mu$ L/well) can bind Recombinant Human CD8 alpha with a linear range of 31.25-341 ng/mL.

#### Storage


Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt. <br/> -80°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

# Validation Data



Recombinant Human Beta-2microglobulin/B2M Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 13 kDa.



Immobilized Recombinant Human B2M at  $2\mu g/mL$  ( $100\mu L/well$ ) can bind Recombinant Human CD8 alpha with a linear range of 31.25-341 ng/mL.