# ABclonal www.abclonal.com

# **Recombinant Human Frizzled-7/FZD7 Protein**

Catalog No.: RP00204 Recombinant

# **Sequence Information**

**Species Gene ID Swiss Prot** HEK293 cells 8324 075084

**Tags** 

C-hFc&His

**Synonyms** FZD7;FzE3

#### **Product Information**

Source Purification

HEK293 cells ≥ 95 % as determined by SDS-PAGE.

#### **Endotoxin**

 $< 0.1 \; \text{EU/}\mu\text{g}$  of the protein by LAL method.

#### **Formulation**

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.Contact us for customized product form or formulation.

#### Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

#### Contact

0

www.abclonal.com

# **Background**

Frizzled-7 is a member of the Frizzled family of unconventional G-protein-coupled glycoprotein receptors for the Wnt signaling pathway. During development, Frizzled-7 is expressed during gastrulation and in the fetal gut, kidney and lung where it is thought to influence tissue morphogenesis via non-canonical signaling pathways . In the adult, Frizzled-7 is expressed in skeletal muscle, especially in satellite cells that mediate muscle regeneration in response to Wnt-7a. It is expressed in embryonic stem cells (ES), contributing to self-renewal signaling . Frizzled-7 expression may downregulate APC function and enhance beta-catenin-mediated signals in poorly differentiated human esophageal carcinomas.

#### **Basic Information**

### **Description**

Recombinant Human Frizzled-7/FZD7 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Gln33-Leu185) of human Frizzled-7 (Accession #NP\_003498.1) fused with an Fc, 6×His tag at the C-terminus.

#### **Bio-Activity**

1.Measured by its binding ability in a functional ELISA. Immobilized Human Glypican-3 Protein at 5  $\mu$ g/mL (100  $\mu$ L/well) can bind Human FZD7 with a linear range of 4.88-935.5 ng/mL.|2.Measured by its binding ability in a functional ELISA. Immobilized Human Glypican-3 Protein at 5  $\mu$ g/mL (100  $\mu$ L/well) can bind Human FZD7 with a linear range of 4.88-520.4 ng/mL.

#### Storage


Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.

After reconstitution, the protein solution is stable at  $-20^{\circ}$ C for 3 months, at  $2-8^{\circ}$ C for up to 1 week.


Avoid repeated freeze/thaw cycles.

<sup>\*</sup> For your safety and health, please wear a lab coat and disposable gloves when handling.

# Validation Data



Recombinant Human Frizzled-7/FZD7 Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



Immobilized Human Glypican-3 Protein at 5  $\mu$ g/mL (100  $\mu$ L/well) can bind Human FZD7 with a linear range of 4.88-520.4 ng/mL.