

RP00322

Leader in Biomolecular Solutions for Life Science



Recombinant Human TREM2 Protein

Catalog No.: RP00322 **Recombinant**

Sequence Information

Species	Gene ID	Swiss Prot
HEK293 cells	54209	Q9NZC2-1

Tags

C-hFc

Synonyms

CD274; PDL1; PD-L1; PD-L1B7
homolog 1; B7-H; B7H1; B7-H1;
PDCD1L1; PDCD1LG1

Product Information

Source

<I>E. coli</I>

Purification

> 95% by SDS-
PAGE

Endotoxin

< 1 EU/μg of the protein by LAL
method

Formulation

Lyophilized from 0.22 μm filtered
solution in PBS, 100 mM Arginine (pH
7.4). Normally 8% trehalose is added
as protectant before lyophilization.

Reconstitution

Centrifuge the vial before opening.
Reconstitute to a concentration of
0.1-0.5 mg/mL in sterile distilled water.
Avoid vortex or vigorously pipetting
the protein. For long term storage, it is
recommended to add a carrier protein
or stabilizer (e.g. 0.1% BSA, 5% HSA,
10% FBS or 5% Trehalose), and aliquot
the reconstituted protein solution to
minimize free-thaw cycles.

Background

TREM-2 (Triggering Receptor Expressed on Myeloid cells-2) is a 35 kDa type I transmembrane member of the TREM family and Ig superfamily. Mature human TREM-2? consists of a 156 amino acid (aa) extracellular domain (ECD) with one V-type Ig-like domain, a 21 aa transmembrane (TM) domain, and a 35 aa cytoplasmic tail. TREM-2 forms a receptor signaling complex with TYROBP which mediates signaling and cell activation following ligand binding (PubMed:10799849). Acts as a receptor for amyloid-beta protein 42, a cleavage product of the amyloid-beta precursor protein APP, and mediates its uptake and degradation by microglia.

Basic Information

Description

Recombinant Human TREM2 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (His19-Ser174) of Human TREM2 (Accession #Q9NZC2-1) fused with a C-hFc tag at the C-terminus.

Bio-Activity

Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.
After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.
Avoid repeated freeze/thaw cycles.


Contact




www.abclonal.com

* For your safety and health, please wear a lab coat and disposable gloves when handling.


Validation Data



Human TREM2 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.



Immobilized Human TREM2, hFc Tag at 2 μg/mL (100 μL/Well) on the plate. Dose response curve for Biotinylated Anti-TREM2 Antibody, hFc Tag with the EC₅₀ of 46.9ng/mL determined by ELISA (QC Test).



Human TREM2, hFc Tag captured on CM5 Chip via Protein A can bind Human APOE3, His Tag with an affinity constant of 1.21 μM as determined in SPR assay (Biacore T200).