ABclonal®

Recombinant Human TNFRSF8/CD30 Protein

Catalog No.: RP00557 Recombinant

Sequence Information

Species Gene ID Swiss Prot HEK293 cells 943 P28908-1

Tags

C-His&Avi

Synonyms

CD30; CD30KI-1; CD30L receptor; TNFRSF8; D1S166EKi-1; CD30KI-1

Product Information

Source Purification HEK293 cells > 95% by SDS

> 95% by SDS-PAGE ; > 95% by

HPLC

Endotoxin

< 1 EU/ μ g of the protein by LAL method

Formulation

Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

•

www.abclonal.com

Background

The transmembrane receptor CD30 (TNFRSF8) and its ligand CD30L (CD153, TNFSF8) are members of the tumor necrosis factor (TNF) superfamily and display restricted expression in subpopulations of activated T-and B-cells in nonpathologic conditions. CD30 expression is upregulated in various hematological malignancies, including Reed-Sternberg cells in Hodgkin's disease (HD), anaplastic large cell lymphoma (ALCL) and subsets of Non-Hodgkin's lymphomas (NHLs).

Basic Information

Description


Recombinant Human TNFRSF8/CD30 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Phe19-Lys379) of Human TNFRSF8/CD30 (Accession #P28908-1) fused with a C-His&Avi tag at the C-terminus.

Bio-Activity


Storage

Store at -20° C. Store the lyophilized protein at -20° C to -80° C up to 1 year from the date of receipt.
After reconstitution, the protein solution is stable at -20° C for 3 months, at 2-8°C for up to 1 week. Avoid repeated freeze/thaw cycles.


Validation Data



Human CD30 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.



The purity of Human CD30 is greater than 95% as determined by SEC-HPLC.



Immobilized Human CD30, His Tag at 0.5 μ g/mL (100 μ L/well) on the plate. Dose response curve for Human CD30 Ligand, mFc (IgG2a) Tag with the EC₅₀ of 10.5ng/mL determined by ELISA.