

Recombinant Mouse VEGF-A/VEGF164 Protein

Catalog No.: RP01060 Recombinant

Sequence Information

Species Gene ID Swiss Prot HEK293 cells 22339 Q00731-2

Tags N-His

Synonyms

MVCD1;VEGFA;VEGF;VPF;VEGFA (164)

Product Information

Source Purification HEK293 cells > 95% by SDS-PAGE.

Endotoxin

 $< 0.1 \; \text{EU/}\mu\text{g}$ of the protein by LAL method.

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.Contact us for customized product form or formulation.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

•

www.abclonal.com

Background

Basic Information

Description

Recombinant Mouse VEGF-A/VEGF164 Protein is produced by HEK293 expression system. The target protein is expressed with sequence (Ala27-Arg190) of mouse VEGF 164 (Accession #NP_001273986.1.) fused with a 6×His tag at the N-terminus.

Bio-Activity


1.Measured by its binding ability in a functional ELISA. Immobilized Recombinant Mouse VEGF164 at 1 μ g/mL (100 μ L/well) can bind Recombinant Human VEGFR2 with a linear range of 8-30 ng/mL.|2.Measured in a cell proliferation assay using human umbilical vein endothelial cells (HUVEC). The ED₅₀ for this effect is typically 0.006-0.022 ng/mL, corresponding to a specific activity of 4.54×10 ⁷-1.67×10⁸humits/mg.

Storage


Store at -20°C.Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.
 -80°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.


Validation Data



Recombinant Mouse VEGF-A/VEGF164 Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



Immobilized Recombinant Mouse VEGF164 at 1 μ g/mL (100 μ L/well) can bind Recombinant Human VEGFR2 with a linear range of 8-30 ng/mL.



Recombinant Mouse VEGF164 promotes the proliferation of human umbilical vein endothelial cells (HUVEC). The ED $_{50}$ for this effect is typically 0.006-0.022 ng/mL, corresponding to a specific activity of 4.54×10^7 - 1.67×10^8 units/mg.