# ABclonal®

# **Recombinant Human MPO Protein**

Catalog No.: RP01117 Recombinant

#### **Sequence Information**

**Species Gene ID Swiss Prot** HEK293 cells 4353 P05164

Tags

C-His

#### **Synonyms**

MPO;Myeloperoxidase (MPO); myeloperoxidase

#### **Product Information**

**Source** Purification
HEK293 cells > 95% by SDS-

PAGE.

#### **Endotoxin**

< 1.0 EU/µg of the protein by LAL method.

#### **Formulation**

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.

## Reconstitution

Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

#### Contact

•

www.abclonal.com

## **Background**

Myeloperoxidase (MPO) is a heme protein synthesized during myeloid differentiation that constitutes the major component of neutrophil azurophilic granules. Produced as a single chain precursor, myeloperoxidase is subsequently cleaved into a light and heavy chain. The mature myeloperoxidase is a tetramer composed of 2 light chains and 2 heavy chains. This enzyme produces hypohalous acids central to the microbicidal activity of neutrophils.

#### **Basic Information**

#### **Description**


Recombinant Human MPO Protein is produced by Mammalian expression system. The target protein is expressed with sequence (Ala49-Ser745) of human MPO (Accession #P05164) fused with a 6×His tag at the C-terminus.

#### **Bio-Activity**

#### Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt. <br/> <br/> After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week. Avoid repeated freeze/thaw cycles.

## **Validation Data**



Recombinant Human MPO Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 100-140 kDa.