

# Recombinant Mouse ErbB-2/HER2/CD340 Protein

Catalog No.: RP01166 Recombinant

# **Sequence Information**

**Species Gene ID Swiss Prot** HEK293 cells 13866 P70424

# **Tags**

C-hFc&His

### **Synonyms**

CD340;c-erbB2;cneu;Erbb-2;HER-2;HER2;Neu;HER2/ERB B2;CD340;c-erbB2;cneu;Erbb-2;HER-2;HER2;Neu;HER2/ERB B2

# **Product Information**

Source

**Purification** 

> 97% by SDS-PAGE.

# **Endotoxin**

 $< 0.1 \; \text{EU/}\mu\text{g}$  of the protein by LAL method.

# **Formulation**

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.Contact us for customized product form or formulation.

# Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

# Contact



www.abclonal.com

# Basic Information

**Background** 

#### Description

Recombinant Mouse ErbB-2/HER2/CD340 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Thr23-Thr653) of mouse HER2/ErbB2 (Accession #NP\_001003817.1) fused with an Fc, 6×His tag at the C-terminus.

# **Bio-Activity**


Measured by its binding ability in a functional ELISA.Immobilized Human ErbB2 at 1  $\mu$ g/mL (100  $\mu$ L/well) can bind ErbB2 Rabbit pAb with a linear range of 0.06-1 ng/mL.

### Storage


Store at  $-20^{\circ}$ C. Store the lyophilized protein at  $-20^{\circ}$ C to  $-80^{\circ}$ C up to 1 year from the date of receipt. <br/> <br/> After reconstitution, the protein solution is stable at  $-20^{\circ}$ C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

# Validation Data



Recombinant Mouse ErbB-2/HER2/CD340 Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 120-140 kDa..



Immobilized Human ErbB2 at 1  $\mu$ g/mL (100  $\mu$ L/well) can bind ErbB2 Rabbit pAb with a linear range of 0.06-1 ng/mL.