

Recombinant Rat Lipocalin-2/NGAL/LCN2 Protein

Catalog No.: RP01225 Recombinant

Sequence Information

Species Gene ID Swiss Prot HEK293 cells 170496 P30152

Tags

C-His

Synonyms

NGAL;LCN2;Lipocalin-2;24p3;MSFI;LCN 2

Product Information

Source Purification HEK293 cells > 95% by SDS-PAGE.

Endotoxin

 $< 0.1 \; \text{EU/}\mu\text{g}$ of the protein by LAL method.

Formulation

Lyophilized from a 0.22 µm filtered solution of 20mM Tris,500mM NaCl, pH 7.0Contact us for customized product form or formulation.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

•

www.abclonal.com

Background

Basic Information

Description

Recombinant Rat Lipocalin-2/NGAL/LCN2 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Gln21-Asn198) of rat Lipocalin-2/NGAL (Accession #NP_570097.1.) fused with a 6×His tag at the C-terminus.

Bio-Activity

Measured by its ability to bind Iron(III) dihydroxybenzoic acid [Fe(DHBA)3]. The binding of Fe(DHBA)3 results in the quenching of Trp fluorescence in Lipocalin2 . It binds >51330 μ M of Fe(DHBA)3.


Storage

Store at -20°C.Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.


 After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Validation Data



Recombinant Rat Lipocalin-2/NGAL/LCN2 Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 27 kDa.



The binding of Fe(DHBA)3 results in the quenching of Trp fluorescence in Lipocalin2 . It binds >51330 μ M of Fe(DHBA)3.