# ABclonal® www.abclonal.com

## **Human CD3 Monoclonal Antibody**

Catalog No.: YR0010

## **Basic Information**

## **Molecular Weight**

150 kDa

#### **Endotoxin**

<1EU/mg (<0.001EU/µg)Determined by LAL gel clotting assay

#### Sterility

0.2 µm filtration

## **Aggregation**

<5% Determined by SECP

## **Purity**

>95% Determined by SDS-PAGE

## **Background**

Teplizumab is a biosimilar directed against the extracellular domain of CD3. This antibody can be used in flow cytometry or various assay format to measure CD3 expression.

## **Reported Applications**

ELISA, neutralization, function al assays such as bioanalytical PK and ADA assays, and those assays for studying biological pathways

## **Immunogen Information**

Clone

Teplizumab Biosimilar

**Isotype** 

Human IgG1 kappa

**Immunogen** 

RecommendedIsotype Control(s)

**Recommended Dilution Buffer** 

1×PBS pH 7.3

## **Contact**

€

www.abclonal.com

## **Product Information**


#### Production


## **Purification**

Purified from cell culture supernatant in an Protein A or G purification animal-free facility

#### Storage

Store at 2 - 8°C. 2 - 8°C for up to 4 weeks and -80°C for long term storage (Avoid repeated freezing and thawing)





Detection of CD3 in Human PBMCs cell line by Flow Cytometry. Human PBMCs cell line was stained with Biotinylated Human Anti-Human CD3(Teplizumab Biosimilar) Monoclonal Antibody followed by APC conjugated NeutrAvidin Secondary Antibody, or unstained cells (open blue histogram).

Direct ELISA binding curve demonstrating the recognition of Human Anti-Human CD3 (Research Grade Teplizumab Biosimilar) Monoclonal Antibody to CD3. The target protein was coated onto the microplate well surface, followed by binding of the antibody. A donkey anti-human IgG HRP conjugate was used for detection.