



## Goat anti-CDT1 / Dup Antibody

**Item Number** dAP-0388

Principle Name: CDT1 / Dup; Official Symbol: CDT1; All Names and Symbols: CDT1; DUP; chromatin li-**Target Molecule** 

censing and DNA replication factor 1; RIS2; Double parked; DNA replication factor, Double parked, Drosophila, homolog of, Accession Number (s): NP\_112190.2; Human Gene ID(s): 81620; Non-Human Gene-

ID(s):

**Immunogen** ARLAHQTRAEEGL, is from C Terminus

**Applications** Pep ELISA, WB

Species Tested: Human

**Purification** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

using the immunizing peptide.

Supplied As lyophilized powder of 50ug or 100ug IgG; Reconsititute IgG with 100ul or 200ul sterile DI Water and final

product will be formulated as 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum

Aliquot and store at -20°C. Minimize freezing and thawing.

Peptide ELISA: antibody detection limit dilution 1 to 64000. Peptide ELISA

Western Blot Western Blot: Approx 60kDa band observed in Human Ovary lysates (calculated MW of 60.4kDa according

to NP 112190.2). Recommended concentration: 1-3µg/ml.

**IHC** 

Reference(s): Whittaker AJ, Royzman I, Orr-Weaver TL. Drosophila double parked: a conserved, essential Reference

replication protein that colocalizes with the origin recognition complex and links DNA replication with mitosis and the down-regulation of S phase transcripts. Genes Dev. 2000 Jul 15;14(14):1765-76..PMID: 10898791

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for Research Use Only