



Goat anti-OSCAR (Isoform 1) Antibody

Item Number	dAP-0815
Target Molecule	Principle Name: OSCAR (Isoform 1); Official Symbol: OSCAR; All Names and Symbols: OSCAR; osteoclast-associated receptor; MGC33613; PIGR3; osteoclast associated receptor OSCAR-S1; osteoclast associated receptor OSCAR-S2; polymeric immunoglobulin receptor 3 precursor; Accession Number (s): NP_996554.1; Human Gene ID(s): 126014; Non-Human GeneID(s):
Immunogen	EGPEARPASSAP, is from internal region This antibody is expected to recognise isoform 1 (NP_996554.1).
Applications	Pep ELISA Species Tested:
Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Supplied As	lyophilized powder of 50ug or 100ug IgG; Reconstitute IgG with 100ul or 200ul sterile DI Water and final product will be formulated as 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
Peptide ELISA	Peptide ELISA: antibody detection limit dilution 1 to 2000.
Western Blot	Western Blot: Preliminary experiments in Human Bone Marrow lysates gave no specific signal but low background (at antibody concentration up to 1µg/ml). We would appreciate any feedback from people in the field - have any results been reported with other
IHC	
Reference	Reference(s): Kim K, Kim JH, Lee J, Jin HM, Lee SH, Fisher DE, Kook H, Kim KK, Choi Y, Kim N. Nuclear factor of activated T cells c1 induces osteoclast-associated receptor gene expression during tumor necrosis factor-related activation-induced cytokine-mediated osteoclastogenesis. J Biol Chem. 2005 Oct 21;280

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for **Research Use Only**