

Goat anti-ROBO3 (internal) Antibody

Item Number	dAP-0822
Target Molecule	Principle Name: ROBO3 (internal); Official Symbol: ROBO3; All Names and Symbols: ROBO3; roundabout, axon guidance receptor, homolog 3 (Drosophila) ; HGNC:13433; FLJ21044; HGPPS; RBIG1; RIG1 ; retinoblastoma inhibiting gene 1; roundabout, axon guidance receptor, homolog 3; Accession Number (s): NP_071765.2; Human Gene ID(s): 64221; Non-Human GeneID(s):
Immunogen	RKDGARLKEEEGR, is from internal region
Applications	Pep ELISA, FC Species Tested: Human
Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Supplied As	lyophilized powder of 50ug or 100ug IgG; Reconstitute IgG with 100ul or 200ul sterile DI Water and final product will be formulated as 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
Peptide ELISA	Peptide ELISA: antibody detection limit dilution 1 to 64000.
Western Blot	Western Blot: Western Blot: Preliminary experiments gave an approx 25kDa band in Human Brain lysates after 1µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated s
IHC	
Reference	Reference(s): Jen JC, Chan WM, Bosley TM, Wan J, Carr JR, Rub U, Shattuck D, Salamon G, Kudo LC, Ou J, Lin DD, Salih MA, Kansu T, Al Dhalaan H, Al Zayed Z, MacDonald DB, Stigsby B, Plaitakis A, Dretakis EK, Gottlob I, Pieh C, Traboulsi EI, Wang Q, Wang L, Andrews C, Ya Mutations in a human ROBO

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for **Research Use Only**