

Goat anti-FKBP8 / FKBP38 Antibody

Item Number	dAP-1447
Target Molecule	Principle Name: FKBP8 / FKBP38; Official Symbol: FKBP8; All Names and Symbols: FKBP8; FK506 binding protein 8, 38kDa; FKBP38; FKBP38; FK506 binding protein 8 (38kD); FK506-binding protein 8; FK506-binding protein 8 (38kD); Accession Number (s): NP_036313.3; Human Gene ID(s): 23770; Non-Human GenelD(s): 14232 (mouse) 290652 (rat)
Immunogen	KLEPSNKTIAELSK, is from internal region
Applications	Pep ELISA Species Tested:
Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Supplied As	lyophilized powder of 50ug or 100ug IgG; Reconstitute IgG with 100ul or 200ul sterile DI Water and final product will be formulated as 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
Peptide ELISA	Peptide ELISA: antibody detection limit dilution 1 to 32000.
Western Blot	Western Blot: Preliminary experiments gave an approx 28kDa band in Human Brain (Frontal Cortex) and Rat Brain lysates after 1µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given
IHC	
Reference	Reference(s): Wang HQ, Nakaya Y, Du Z, Yamane T, Shirane M, Kudo T, Takeda M, Takebayashi K, Noda Y, Nakayama KI, Nishimura M. Interaction of presenilins with FKBP38 promotes apoptosis by reducing mitochondrial Bcl-2. Hum Mol Genet. 2005 Jul 1;14(13):1889-902. Epub 2005 May 19..PMID: 15905180 ->

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for **Research Use Only**