

DATA SHEET

Goat anti-HUWE1 / LASU1 Antibody

| Item Number | dAP-1866 |
|-----------------|--|
| | |
| Target Molecule | Principle Name: HUWE1 / LASU1; Official Symbol: HUWE1; All Names and Symbols: HUWE1; HECT, UBA and WWE domain containing 1; ARF-BP1; HECTH9; HSPC272; Ib772; KIAA0312; LASU1; MULE; UREB1; ARF binding protein 1; BJ-HCC-24 tumor antigen; HECT domain protein LASU1; Mcl-1 ubiquitin ligase E3; OTTHUMP00000023356; OTTHUMP00000061860; Accession Number (s): NP_113584.3; Human Gene ID (s): 10075; Non-Human GeneID(s): 59026 (mouse) |
| Immunogen | DDLKSNTEYHKYQ, is from internal region |
| Applications | |
| Applications | Pep ELISA Species Tested: |
| | opecies residu. |
| Purification | Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. |
| | |
| Supplied As | lyophilized powder of 50ug or 100ug IgG; Reconsititute IgG with 100ul or 200ul sterile DI Water and final product will be formulated as 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing. |
| Peptide ELISA | Peptide ELISA: antibody detection limit dilution 1 to 128000. |
| | |
| | |
| Western Blot | Western Blot: Not yet tested - our routinely used western blotting protocol does not allow detection of pro- teins as large as the calculated size of 482kDa according to NP_113584.3. Therefore we cannot recom- |
| | mend an optimal concentration and the antibody i |
| IHC | |
| | |
| | |
| | |

Reference

Reference(s): Stankiewicz AR, Livingstone AM, Mohseni N, Mosser DD. Regulation of heat-induced apoptosis by McI-1 degradation and its inhibition by Hsp70. Cell death and differentiation 2009 Apr 16 (4): 638-47..PMID: 19148187->

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for Research Use Only