



Goat anti-Thyroid peroxidase Antibody

Item Number dAP-2520

Target Molecule Principle Name: Thyroid peroxidase; Official Symbol: TPO; All Names and Symbols: TPO; thyroid peroxi-

dase; MSA; TDH2A; TPX; OTTHUMP00000115535; OTTHUMP00000115536; thyroid microsomal antigen; thyroperoxidase; Accession Number (s): NP_000538.3; NP_783650.1; NP_783652.1; NP_783653.1; Hu-

man Gene ID(s): 7173; Non-Human GeneID(s):

Immunogen TRHVIQVSNEVVTDD, is from internal region

This antibody is expected to recognize reported isoforms a (NP_000538.3), b (NP_783650.1), d

(NP_78652.1), and e (NP_783653.1).

Applications Pep ELISA, WB, IHC

Species Tested: Human

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

using the immunizing peptide.

Supplied As lyophilized powder of 50ug or 100ug lgG; Reconsititute lgG with 100ul or 200ul sterile DI Water and final

product will be formulated as 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum

albumin

Aliquot and store at -20°C. Minimize freezing and thawing.

Peptide ELISA Peptide ELISA: antibody detection limit dilution 1 to 16000.

Western Blot: Approx 110kDa band observed in Human Thyroid Gland lysates (calculated MW of 103kDa

according to NP_000538.3). Recommended concentration: 0.3-1 μ g/ml.

IHC Immunohistochemistry: In paraffin embedded Human Thyroid Gland shows textured staining in the cyto-

plasm of epithelial cells. Recommended concentration, 5-10 μ g/ml.

Reference Reference(s): Chen CR, Hamidi S, Braley-Mullen H, Nagayama Y, Bresee C, Aliesky HA, Rapoport B,

McLachlan SM. Antibodies to thyroid peroxidase arise spontaneously with age in NOD.H-2h4 mice and appear after thyroglobulin antibodies. Endocrinology. 2010 Sep;151(9):4583-93..PMID: 20573721->

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for Research Use Only